Author Index to Volume 15

Ackley, M. A. See Turner, R. C., 425
Addy, M. See Thaw, M., 29
Ahmed, A. M. See Raab, S., 159
Akaike, T. See Okano, T., 393
Akers, C. K. See Carter, J. M., 843
Amstutz, H. See McKellop, H., 619
Anderson, J. See Clemow, A. J. T., 73
Anderson, J. M. See Barenberg, S. A., 231; Dickinson, H. R., 577
—; Niven, H.; Pelagalli, J.; Olanoff, L. S.; Jones, R. D.: The role of the fibrous capsule in the function of implanted drug-polymer sustained release systems, 889
Ashar, B.
—; Ward, R. S., Jr.; Turcotte, L. R.: Development of a silica-free silicone system for medical applications, 663
Atkins, P. E. See Turner, R. C., 425

Bab, I. See Gross, U., 291
Baier, R. E. See Carter, J. M., 843
Bantjes, A. See Sederel, L. C., 819
Baran, G.
—; Woodland, E. C.: Work hardening and forming behavior of cast dental alloys, 835
Barenberg, S. A.
—; Anderson, J. M.; Mauritz, K. A.: Thrombogenesis: An epitaxial phenomena. I. 231
Belleville, J. See Dureau, G., 319
Bernhard, W. F. See Szycher, M., 247
Beugeling, T. See Sederel, L. C., 819
Brandes, J. See Gross, U., 291
Brem, H. See Langer, R., 267
Brosnahan, R. E.
—; Kenner, G. H.; Moyle, D. D.; von Recum, A. F.: Suitability of pigmented polyvinylide fluoride encapsulated wire for implantation in the dog (Note), 111
Brown, S. A.
—; Simpson, J. P.: Crevice and fretting corrosion of stainless-steel plates and screws, 867
—; Merritt, K.: Fretting corrosion in saline and serum, 479
Buchanan, R. A. See Lucas, L. C., 731
—; Lemons, J. E.; Griffin, C. D.; Thompson, N. G.; Lucas, L. C.: Effects of carbon coupling on the *in vitro* corrosion of cast surgical cobalt-base alloy (Note), 611
Burstein, A. H. See Robinson, R. P., 203; Wright, T. M., 719

Cahoon, J. R.
—; Holte, R. N.: Corrosion fatigue of surgical stainless steel in synthetic physiological solution, 137
Cameron, H. U. See Szivek, J. A., 853
Carter, J. M.
—; Flynn, H. E.; Meenaghan, M. A.; Natiella, J. R.; Akers, C. K.; Baier, R. E.: Organic surface film contamination of vitallium implants, 843
Chamberlain, R. T. See Newman, S., 615
Chiu, T. C.
—; Metcalf, L. C.; Lyman, D. J.: Electrophoretic analysis of protein adsorbed on polymer surfaces (Note), 781
Chu, C. C.
An *in-vitro* study of the effect of buffer on the degradation of poly(glycolic acid) sutures, 19
The *in vitro* degradation of poly(glycolic acid) sutures—effect of pH, 795
Chvapil, M. See Ulreich, J. B., 913
Clarke, I. See McKellop, H., 619
Clemow, A. J. T.
—; Weinstein, A. M.; Klawitter, J. J.; Koeneman, J.; Anderson, J.: Interface mechanics of porous titanium implants, 73
Clendinnen, G. See Dureau, G., 319
Cobb, E. N. See Wu, W., 343
Coffeen, W. W. See Park, J. B., 103
Cohen, L. See Reddy, K., 335
Colella, S. M.
—; Miller, A. G.; Stang, R. G.; Stoebe, T. G.; Spengler, D. M.: Fixation of porous titanium implants in cortical bone enhanced by electrical stimulation, 37
Cook, S. D. See Weinstein, A. M., 749
—; Klawitter, J. J.; Weinstein, A. M.: The influence of implant elastic modulus on the stress distribution around LTI carbon and aluminum oxide dental implants, 879
Cook, W. D.
Permanent set and stress relaxation in elastomeric impression materials, 449
Cooke, F. W. See Park, J. B., 97
Cruickshanks-Boyd, D. W.
—; Roswati, N.: The tensile creep characteristics of dental amalgam. I. Stress dependence, 769
Culliton, C. R.
—; Meenaghan, M. A.; Sorensen, S. E.; Greene, G. W.; Eick, J. D.: A critical evaluation of the acute systemic toxicity test for dental alloys using histopathologic criteria, 565

Dalgleish, B. J.
—; Rawlings, R. D.: A comparison of the mechanical behavior of aluminas in air and simulated body environments, 527
Day, D. E. See Osterholm, H. H., 279
de Groot, K. See Ducheyne, P., 441
Dickinson, H. R.
—; Hiltner, A.; Gibbons, D. F.; Anderson, J. M.: Biodegradation of a poly(α-amino acid) hydrogel. I. *In vivo*, 577
—; Hiltner, A.: Biodegradation of a poly(α-amino acid) hydrogel. II. *In vitro*, 591
Draughn, R. A.
Effects of temperature on mechanical properties of composite dental restorative materials, 489
Ducheyne, P.
—; de Groot, K.: *In vivo* surface activity of a hydroxyapatite alveolar bone substitute (Note), 441
Dureau, G.
—; Kepenekian, G.; Heynen, Y.; Paul, J.; Tabib, A.; Clendinnen, G.; Belleville, J.; Eloy, R.: Biological and mechanical behavior of autologous pericardium used for tricuspid valvular replacement in dogs, 319

Eckstein, E. C. See Pinchuk, L., 183
Edwards, R. O. See Hecker, J. F., 1
—; Thomasz, F. G. V.: Evaluation of acrylic bone cements and their performance standards, 543
Ehrenreich, Y. See Neumann, P. M., 9
Eick, J. D. See Culliton, C. R., 565

Eloy, R. See Dureau, G., 319

Faris, B. See Szycher, M., 247
Feld, M. K. See Grinnell, F., 363
Feller, J. See Reddy, K., 335
Fitzgerald, J. See Reddy, K., 335
Flynn, H. E. See Carter, J. M., 843
Fontaine, A. R.
—; Hall, B. D.: Biocompatibility of echinoderm skeleton with mammalian cells *in vitro*: Preliminary evidence, 61
Franzblau, C. See Szycher, M., 247
Fujisawa, S.
—; Masuhara, E.: Determination of partition coefficients of acrylates, methacrylates and vinyl monomers using high performance liquid chromatography (HPLC), 787
Fukubayashi, T. See Wright, T. M., 719

Gibbons, D. F. See Dickinson, H. R., 577
Gosselin, C. A. See Roe, R-J., 209
Graham, S. W.
—; Hercules, D. M.: Surface spectroscopic studies of Avcothane, 349
—; Hercules, D. M.: Surface spectroscopic studies of Biomer, 465
Greenberg, A. R. See Kusy, R. P., 47
Greene, G. W. See Culliton, C. R., 565
Grether, M. F. See Park, J. B., 103
Griffin, C. D. See Buchanan, R. A., 611
Grinnell, F.
—; Feld, M. K.: Adsorption characteristics of plasma fibronectin in relationship to biological activity, 363
Grood, E. S. See Roe, R-J., 209
Gross, U.
—; Brandes, J.; Strunz, V.; Bab, I.; Sela, J.: The ultrastructure of the interface between a glass ceramic and bone, 291
Guha, K. See Singh, M., 655

Hall, B. D. See Fontaine, A. R., 61
Handa, H. See Ikada, Y., 697
Handley, R. See Thaw, M., 29
Haque, S. N. See Reddy, K., 335
Hargreaves, A. S.
The effect of the environment on the crack initiation toughness of dental poly(methyl methacrylate), 757
Haudenschild, C. C. See Szycher, M., 247
Hecker, J. F.
—; Edwards, R. O.: Effects of roughness on the thrombogenicity of a plastic, 1
Hensten-Pettersen, A. See Wennberg, A., 433
Hercules, D. M. See Graham, S. W., 349, 465
Hewch, L. L. See Wilson, J., 805
Heynen, Y. See Dureau, G., 319
Hiltner, A. See Dickinson, H. R., 577, 591
Hino, T. See Watanabe, S., 553
Hirano, S.
—; Tobetto, K.; Noishiki, Y.: SEM ultrastructure studies of *N*-acyl- and *N*-benzylidene-chitosan and chitosan membranes, 903
Holte, R. N. See Cahoon, J. R., 137
Horbett, T. A.
—; Weathersby, P. K.: Adsorption of proteins from plasma to a series of hydrophilic-hydrophobic copolymers. I. Analysis with the *in situ* radioiodination technique, 403
Adsorption of proteins from plasma to a series of hydrophilic-hydrophobic copolymers. II. Compositional analysis with the prelabeled protein technique, 673
Horii, F. See Ikada, Y., 697

Ikada, Y.
—; Iwata, H.; Horii, F.; Matsunaga, T.; Taniguchi, M.; Suzuki, M.; Taki, W.; Yamagata, S.; Yonekawa, Y.; Handa, H.: Blood compatibility of hydrophilic polymers, 697
Iwata, H. See Ikada, Y., 697

Jones, R. D. See Anderson, J. M., 889

Kataoka, K. See Okano, T., 393
Keller, J. C.
—; Lautenschlager, E. P.; Marshall, G. W., Jr.; Meyer, P. R., Jr.: Factors affecting surgical alloy/bone cement interface adhesion (Erratum), 115
Kelly, B. J. See Park, J. B., 103
Kenner, G. H. See Brosnahan, R. E., 111; Park, J. B., 103
Kepenekian, G. See Dureau, G., 319
Klawitter, J. J. See Clemow, A. J. T., 73; Cook, S. D., 879; Weinstein, A. M., 749
Koeneman, J. See Clemow, A. J. T., 73
Kolarik, J.
—; Migliaresi, C.; Stol, M.; Nicolais, L.: Mechanical properties of model synthetic tendons, 147
Kondo, T. See Muramatsu, N., 383
Kusy, R. P.
—; Leinfelder, K. F.: Age-hardening and tensile properties of low gold (10-14 kt.) alloys, 117
—; Greenberg, A. R.: Dynamic mechanical properties of amalgams, 47

Langer, R.
—; Brem, H.; Tapper, D.: Biocompatibility of polymeric delivery systems for macromolecules, 267
Lautenschlager, E. P. See Keller, J. C., 115
Leinfelder, K. F. See Kusy, R. P., 117
Lemons, J. E. See Buchanan, R. A., 611; Lucas, L. C., 731
Leong, F.-L. See Refojo, M. F., 497
Lucas, L. C. See Buchanan, R. A., 611
—; Buchanan, R. A.; Lemons, J. E.: Investigations on the galvanic corrosion of multialloy total hip prostheses, 731
Lyman, D. J. See Chiu, T. C., 781

Mahler, D. B.
—; Nelson, L. W.: Effect of age on the creep of a high-copper amalgam, 829
Markolf, K. See McKellop, H., 619
Marshall, G. W., Jr. See Keller, J. C., 115
Masuhara, E. See Fujisawa, S., 787
Matsunaga, T. See Ikada, Y., 697
Mauritz, K. A. See Barenberg, S. A., 231
McKellop, H.
—; Clarke, I.; Markolf, K.; Amstutz, H.: Friction and wear properties of polymer, metal, and ceramic prosthetic joint materials evaluated on a multichannel screening device, 619
Meenaghan, M. A. See Carter, J. M., 843; Culliton, C. R., 565
Merritt, K. See Brown, S. A., 479
Metcalf, L. C. See Chiu, T. C., 781
Meyer, P. R., Jr. See Keller, J. C., 115
Migliaresi, C. See Kolarik, J., 147
—; Nicodemo, L.; Nicolais, L.; Passerini, P.: Physical characterization of microporous poly(2-hydroxyethyl methacrylate) gels, 307
Miller, A. G. See Colella, S. M., 37
Misro, M. M. See Singh, M., 655
Monroe, J. M.
—; True, D. E.; Williams, M. C.: Surface roughness and edge geometries in hemolysis with rotating disk flow, 923
Moyle, D. D. See Brosnahan, R. E., 111
Murachi, T. See Watanabe, S., 553
Muramatsu, N.
—; Kondo, T.: Platelet adhesion onto sulfonated artificial red blood cells, 383

Natiella, J. R. See Carter, J. M., 843
Nelson, L. W. See Mahler, D. B., 829
Neumann, P. M.
—; Zur, B.; Ehrenreich, Y.: Gelatin-based sprayable foam as a skin substitute, 9

Newman, S.
—; Chamberlain, R. T.; Nunez, L. J.: Nickel solubility from nickel-chromium dental casting alloys (Note), 615
Nicodemo, L. See Migliaresi, C., 307
Nicolais, L. See Kolarik, J., 147; Migliaresi, C., 307
Nishiyama, S. See Okano, T., 393
Niven, H. See Anderson, J. M., 889
Noishiki, Y. See Hirano, S., 903
Novak, M. See Sprincl, L., 437
Noyes, F. R. See Roe, R-J., 209
Nunez, L. J. See Newman, S., 615

Okano, T.
—; Nishiyama, S.; Shinohara, I.; Akaike, T.; Sakurai, Y.; Kataoka, K.; Tsuruta, T.: Effect of hydrophilic and hydrophobic microdomains on mode of interaction between block polymer and blood platelets, 393
Olanoff, L. S. See Anderson, J. M., 889
Osterholm, H. H.
—; Day, D. E.: Dense alumina aged *in vivo*, 279

Park, J. B. See Turner, R. C., 425
—; Cooke, F. W.: Academic Focus: Graduate study and research in Bioengineering at Clemson University, 97
—; Kelly, B. J.; Kenner, G. H.; von Recum, A. F.; Grether, M. F.; Coffeen, W. W.: Piezoelectric ceramic implants: *in vivo* results, 103
Passerini, P. See Migliaresi, C., 307
Paul, J. See Dureau, G., 319
Pelagalli, J. See Anderson, J. M., 889
Perry, J. T. See Ward, T. C., 511
Pigott, G. H. See Wilson, J., 805
Pilliar, R. M. See Szivek, J. A., 853
Pinchuk, L.
—; Eckstein, E. C.: Pressurized polymerization for reaction casting of poly(2-hydroxyethyl methacrylate), 183
Piziali, R. L. See Swenson, L. W., Jr., 83
Poirier, V. See Szycher, M., 247
Prasad, A. See Vaidyanathan, T. K., 191
Provan, J. W. See Raab, S., 159

Raab, S.
—; Ahmed, A. M.; Provan, J. W.: The quasistatic and fatigue performance of the implant/bone-cement interface, 159
Rawlings, R. D. See Dalgleish, B. J., 527
Ray, A. R. See Singh, M., 655
Reddy, K.
—; Haque, S. N.; Cohen, L.; Sophie, Z.; Feller, J.; Stillman, R. M.; Fitzgerald, J.; Stanczewski, B.; Sawyer, P. N.: Clinical experience with the NCGT graft, 335
Refojo, M. F.
—; Leong, F.-L.: Poly(methyl acrylate-co-hydroxyethyl acrylate) hydrogel implant material of strength and softness, 497
Robinson, R. P.
—; Wright, T. M.; Burstein, A. H.: Mechanical properties of poly(methyl methacrylate) bone cements, 203
Roe, R-J.
—; Grood, E. S.; Shastri, R.; Gosselin, C. A.; Noyes, F. R.: Effect of radiation sterilization and aging on ultrahigh molecular weight polyethylene, 209
Rosenfeld, J.
—; Williams, W. S.; Sharma, N. K.: SEM analysis of copper-containing intrauterine implants (Note), 605
Roswati, N. See Cruickshanks-Boyd, D. W., 769

Sakurai, Y. See Okano, T., 393
Sawyer, P. N. See Reddy, K., 335
Schoen, F. J. See Wilson, J., 805
Schurman, D. J. See Swenson, L. W., Jr., 83
Sederel, L. C.
—; van der Does, L.; van Duijl, J. F.; Beugeling, T.; Bantjes. A.: Anticoagulant activity of a synthetic heparinoid in relation to molecular weight and *N*-sulfate content, 819
Sela, J. See Gross, U., 291
Sharma, N. K. See Rosenfeld, J., 605
Shastri, R. See Roe, R-J., 209
Shimizu, Y. See Watanabe, S., 553
Shinohara, I. See Okano, T., 393
Simpson, J. P. See Brown, S. A., 867
Singh, M.
—; Vasudevan, P.; Sinha, T. J. M.; Ray, A. R.; Misro, M. M.; Guha, K.: An insulin delivery system from oxidized cellulose, 655
Sinha, T. J. M. See Singh, M., 655
Snider, R. See Szycher, M., 247
Sophie, Z. See Reddy, K., 335
Sorensen, S. E. See Culliton, C. R., 565
Spengler, D. M. See Colella, S. M., 37
Sprincl, L.
—; Novak, M.: The initial stage of calcification in porous hydrophilic polymers (Note), 437
Stanczewski, B. See Reddy, K., 335
Stang, R. G. See Colella, S. M., 37
Stillman, R. M. See Reddy, K., 335
Stoebe, T. G. See Colella, S. M., 37
Stol, M. See Kolarik, J., 147
Strunz, V. See Gross, U., 291
Suzuki, M. See Ikada, Y., 697
Swenson, L. W., Jr.
—; Schurman, D. J.; Piziali, R. L.: Finite element temperature analysis of a total hip replacement and measurement of PMMA curing temperatures, 83
Szivek, J. A.
—; Weatherly, G. C.; Pilliar, R. M.; Cameron, H. U.: A study of bone remodeling using metal-polymer laminates, 853
Szycher, M.
—; Poirier, V.; Franzblau, C.; Faris, B.; Snider, R.; Toselli, P.; Haudenschild, C. C.; Bernhard, W. F.: Biochemical, histological, and ultrastructural assessments of pseudoneointimal linings derived from fibroblast-seeded integrally textured polymeric surfaces, 247

Tabib, A. See Dureau, G., 319
Taki, W. See Ikada, Y., 697
Taniguchi, M. See Ikada, Y., 697
Tapper, D. See Langer, R., 267
Teramatsu, T. See Watanabe, S., 553
Thaw, M.
—; Addy, M.; Handley, R.: Effects of drug and water incorporation upon some physical properties of cold cured acrylic, 29
Thomasz, F. G. V. See Edwards, R. O., 543
Thompson, N. G. See Buchanan, R. A., 611
Tobetto, K. See Hirano, S., 903
Toselli, P. See Szycher, M., 247
True, D. E. See Monroe, J. M., 923
Tsuruta, T. See Okano, T., 393
Turcotte, L. R. See Ashar, B., 663
Turner, R. C.
—; Atkins, P. E.; Ackley, M. A.; Park, J. B.: Molecular and macroscopic properties of PMMA bone cement: Free-radical generation and temperature change versus mixing ratio, 425

Ulreich, J. B.
—; Chvapil, M.: A quantitative microassay for *in-vitro* toxicity testing of biomaterials, 913

Vaidyanathan, T. K.
—; Prasad, A.: *In vitro* corrosion and tarnish characterization of typical dental gold compositions, 191
van der Does, L. See Sederel, L. C., 819
van Duijl, J. F. See Sederel, L. C., 819
Vasudevan, P. See Singh, M., 655
von Recum, A. F. See Brosnahan, R. E., 111; Park, J. B., 103

Ward, R. S., Jr. See Ashar, B., 663

Ward, T. C.
—; Perry, J. T.: Dynamic mechanical properties of medical grade silicone elastomer stored in simulated body fluids, 511
Watanabe, S.
—; Shimizu, Y.; Teramatsu, T.; Murachi, T.; Hino, T.: The *in vitro* and *in vivo* behavior of urokinase immobilized onto collagen-synthetic polymer composite material, 553
Weatherly, G. C. See Szivek, J. A., 853
Weathersby, P. K. See Horbett, T. A., 403
Weinberg, L. A. See Weinstein, A. M., 749
Weinstein, A. M. See Clemow, A. J. T., 73; Cook, S. D., 879
—; Cook, S. D.; Klawitter, J. J.; Weinberg, L. A.; Zide, M.: An evaluation of ion-textured aluminum oxide dental implants, 749
Wennberg, A.
—; Hensten-Pettersen, A.: Sensitivity of erythrocytes from various species to *in vitro* hemolyzation (Note), 433
Williams, M. C. See Monroe, J. M., 923
Williams, W. S. See Rosenfeld, J., 605
Wilson, J.
—; Pigott, G. H.; Schoen, F. J.; Hewch, L. L.: Toxicology and biocompatibility of bioglasses, 805
Woodland, E. C. See Baran, G., 835
Wright, T. M. See Robinson, R. P., 203
—; Fukubayashi, T.; Burstein, A. H.: The effect of carbon fiber reinforcement on contact area, contact pressure, and time-dependent deformation in polyethylene tibial components, 719
Wu, W.
—; Cobb, E. N.: A silver staining technique for investigating wear of restorative dental composites, 343

Yamagata, S. See Ikada, Y., 697
Yonekawa, Y. See Ikada, Y., 697

Zide, M. See Weinstein, A. M., 749
Zur, B. See Neumann, P. M., 9

Subject Index to Volume 15

Errata and Notes are indicated by the letters E and N, respectively, following the page number.

Academic Focus: Clemson University, 97
N-acetylchitosan membrane, ultrastructure of, 903
Acrylates, partition coefficients, 787
Acrylic, cold cured, physical properties, 29
—, cured, drug release, 29
Adhesion, fibronectin, 363
Adhesion interface, fatigue, 159
—, fracture, 159
Adsorption, fibronectin, 363
—, of proteins from plasma, 403
—, proteins on polymers, 781(N)
—, of proteins to polymers, 673
Age, effect on creep in amalgam, 829
Age-hardening, 117
Aging, 209
Albumin, 673
Alloys, dental, casting, 835
Aluminum oxide, 279
—, dental implants, 749, 879
Amalgam, creep, 829
—, dynamic mechanical properties, 47
—, high copper, 829
—, tensile creep characteristics, 769
Analysis, of adsorbed proteins, 781(N)
Anticoagulant activity, 819
Antimicrobial activity, 9
Artificial heart, 247, 319
Artificial red blood cells, 383
Autogenous vein, bypass conduit, 335
Autologous pericardial valve, inflammatory response, 319
Avcothane, 349

Barium titanate ceramic, 103
Base-metal alloy, nickel–chromium, 615(N)
Biocompatibility, of bioglass, 805
—, ceramic implants ($BaTiO_3$), 103
—, pigmented encapsulated wire, 111(N)
Biodegradable matrix, 655
Biodegradable polymer, 655
Biodegradation, 577, 591
Bioglass, toxicity and biocompatibility, 805
Biological attachment, dental implants, 749
Biological evaluation, root canal sealers, 433(N)
Biomaterial cell culture, 61
Biomaterial corrosion, 611(N)
Biomaterials, fibronectin, 363
—, implants, 279
—, mechanical properties, 279
—, polymers, 663
—, testing for toxicity, 913
Biomedical polymers, adsorbed proteins, 781(N)
Biomer, 465
Biopolymers, 465
—, Avcothane, 349
Block copolymer, 393
Blood compatibility, 393
—, of hydrophilic polymers, 697
Blood compatible polymers, 393
Body fluid, 527
Bond interchange, 449
Bone cement, 115(E), 159, 543
—, PMMA, 203, 425
—, properties, 543
—, safety, 543
—, standards, 543
Bone–cement interface, 83
Bone development, 291
Bone ingrowth, 73
—, ceramic implant, 103
—, enhanced by electrical stimulation, 37
Bone remodeling, 853
Bubble-free polymers, 183
Buffered saline solution, 19

Calcification, hydrophilic polymers, 437(N)
Carbon, 611(N)
Carbon fiber reinforcement, UHMWPE, 719
Cardiac valve replacement, 319
Case effect, 795
Casting, of dental alloys, 835
Cell culture, biomaterial, 61
—, testing of toxicity of biomaterials, 913
Ceramic implants, 441(N)
Ceramics, wear in prosthetic joint materials, 619
Chemorheology, 449
Chitosan membranes, ultrastructure of, 903
Clinical applications of bone cement, 115(E)
Cobalt-base alloy, 611(N)
Collagen, 247
Collagen-synthetic polymer composite, 553
Composites, 489
—, metal-polymer, 853
Contact area, 719
Contact pressure, 719
Corrosion, dental gold, 191
—, implant interface, 291
—, in multialloy prostheses, 731
Corrosion fatigue, 137
In vitro corrosion, 191, 611(N)
Corrosion testing, 479
—, *in vivo* and *in vitro*, 867
Creep, effect in amalgam of age on, 829
Creep characteristics, stress dependence, 769

Dental alloys, 565
Dental amalgam, tensile creep characteristics, 769
Dental casting alloy, 615(N)
Dental composites, 343
Dental implants, 441(N), 749, 879
Dental impression materials, 449
Dental materials, 489, 787
—, standardization, 433(N)
Denture-base acrylic, fracture mechanics, 757
Denture materials, effect of drug and water, incorporation, 29
Dexon sutures, 795
Drug delivery systems, 267, 655
Drug-polymer sustained release systems, 889
Drug release, via dental materials, 29
Drug release systems, 889
Dynamic mechanical properties, amalgams, 47

Echinoderm skeleton, 61
Edge effects, in hemolysis, 923
Elastomers, 449
Electrical stimulation, to enhance implant fixation, 37
Electrochemical analyses, in multialloy prostheses, 731
Electron paramagnetic resonance spectroscopy, PMMA bone cement, 425

Electrophoresis, 403
—, analysis of adsorbed protein on polymers, 781(N)
Endoprosthetic fixation, 159
Environment, effect on fracture mechanics, 757
Epitaxy surface chemistry, 231
Errata, 115
ESCA, 465
ESCA studies, Avcothane, 349
Ester hydrolysis, 19
Ethylmethacrylate, 673

Femoral implants, 73
Fibrinogen, 673
Fibrinolytic activity, 553
Fibronectin, 363
Fibroplasts, 363
Fibroplast seeding, 247
Fibrous capsule, in drug release, 889
Finite element analysis, 879
Fixation, of porous titanium implants in cortical bone, 37
Flexural strength, aluminum oxide, 279
Foam, 9
Forming, of cast dental alloys, 835
Fracture mechanics, effect of environment on, 757
Free radicals, in bone cement, 425
Fretting corrosion, 479
—, of stainless-steel plates and screws, 867
Friction, prosthetic joint replacements, 619
Functional biomaterials, 553

Galvanic coupling, 611(N)
—, *in multialloy prostheses, 731*
Gamma-ray irradiation, polyethylene, 209
Gentamicin, 889
Glass ceramic, 291
Glow discharge cleaning, implants, 843
Gold alloys, 117

Hemoglobin, 673
Hemolysis, 923
Heparinoid, 819
Hg content, final, in amalgam, 829
High performance liquid chromatography, 787
Hip prostheses, investigation of corrosion, 731
Hydrodynamics, of blood, 923
Hydrogels, 183, 497, 577, 591, 697
Hydrophilic polymers, 437(N)
—, blood compatibility, 697
Hydroxyapatite, implants, 441(N)
2-Hydroxyethyl acrylate, 497
Hydroxyethyl methacrylate, 673
2-Hydroxyethyl methacrylate, styrene (St), 393

Immobilized enzymes, 553
Immunoglobulin, 673
Implants, calcification of hydrophilic polymers, 437(N)
—, ceramic ($BaTiO_3$), 103
—, dental, 879
—, fixation enhancement by electrical stimulation, 37
—, orthopaedic, 853
—, porous titanium, 73
—, vitallium, 843
Insulin delivery, 655
Integrally textured surfaces, 247
Interface, 159
—, implant, 291
Interface formation, 115(E)
Interface mechanics, of porous titanium implants, 73
Interfacial healing, ceramic implants, 103
Interfacial shear properties, bone/porous titanium implant, 73
Interfacial shear strength, 37
Intrauterine devices, 605(N)
In vitro corrosion testing, 867
In vivo corrosion testing, 867
Iodination, 403

ISS studies, 465
—, Avcothane, 349

Joint replacements, wear, 619

Left ventricular assist device, 247
Liquid chromatography, high performance, 787
LTI carbon, dental implants, 879

Mechanical properties, 147, 489, 527
—, PMMA, 203
—, polyethylene, 209
—, poly(2-hydroxyethyl methacrylate), 307
Mechanical testing, dental implants, 749
Medical grade polymers, 663
Metal/cement interface failures, 115(E)
Metals, wear in prosthetic joint materials, 619
Methacrylates, partition coefficients, 787
Methyl acrylate, 497
Microassay, quantitive, of biomaterial toxicity, 913
Microcompression test, dental amalgam, 47
Microphase-separated structure, 393
Microstructure, 527
Molding, 183
Molecular motions, 231
Molecular weight, with relation to anticoagulent activity, 819

NCGT graft, 335
Nickel solubility, 615(N)
Nonbiodegradable dental implants, 441(N)

Organic films, contamination by, 843
Orthopaedic implants, 853

Palacos-R cement, 83
Partition coefficients, of acrylates, methacrylates and vinyl monomers, 787
Permanent set, 449
—, of elastomeric networks, 449
Permeability, poly(2-hydroxyethyl methacrylate), 307
pH, effect on sutures, 795
Phosphate-buffered saline solution, 19
Physical properties, poly(2-hydroxyethyl methacrylate), 307
Piezoelectric ceramic implants, 103
Pigmented encapsulated wire, 111(N)
Platelet adhesion, 393
—, artificial blood cells, 383
—, *on hydrophilic polymers, 697*
Platelet morphology, 393
Plates, 479
PMMA acrylic bone cements, physical properties and standards, 543
PMMA bone cement, 83
PMMA curing temperatures, 83
Polarization, 191
Polarization behavior, 611(N)
Poly(α-amino acid), 577, 591
Polycrystalline alumina, 527
Polyelectrolyte, 819
Poly(ethylene terephthalate) fiber, 147
Poly(glycolic acid), 19
—, sutures, 795
Poly(2-hydroxyethyl methacrylate), 183, 307
Poly(2-hydroxyethyl methacrylate) hydrogel, 147
Polymeric implants, 511
Polymers, 183
—, *analysis of adsorbed protein, 781(N)*
—, blood compatible, 393
—, drug delivery systems, 267
—, *protein adsorption, 403, 673*
—, smooth surface, medical grade, 663
—, wear in prosthetic joint materials, 619
Poly(methyl methacrylate), 425
—, bone cements, 203

—, denture base, 757
Poly(vinyl chloride), 1
Polyvinylide fluoride, encapsulated wire for implantation, 111(N)
Predough, 115(E)
Pressurized polymerization, 183
Property interrelationships, 117
Prostheses, bone/cement interface, 83
—, *dental, 29*
Proteins, adsorbed on polymers, electrophoretic analysis by, 781(N)
—, *adsorption on hydrophylic polymers, 697*
—, adsorption to polymers, 403, 673
—, drug delivery systems, 267
Pseudoneointimal linings, 247

Quantitive microassay, of biomaterial toxicity, 913

Radiation sterilization, 209
Renal infarction, 1
Retinal detachment, 497
Retrieved implants, 731
Root canal sealers, biological evaluation, 433(N)
Rotating disk flow, 923
Roughness, 1
Roughness effects, surface, in hemolysis, 923
RTV silicone, 663

Safety, bone cement, 543
Saline, 479
—, buffered and unbuffered, 19
Saliva, 615(N)
Scanning electron microscopy, 1
Scleral buckling, 497
Serum, 479
Setting rates, dental amalgams, 47
Shear properties, of bone/implant interface, 73
—, of the interface, 73
Silica-free silicone, 663
Silicone, silica free, 663
Silicone rubber, 511, 889
Silver staining technique, 343
Simplex-P cement, 83
SIMS studies, 465
—, Avcothane, 349
Skin substitute, 9
Smooth-surface polymers, 663
Specimen geometry, 117
S–P–T data, 527
Staining technique, 343
Stainless steel, 137, 479
Stainless steel plates, corrosion, 867
Standardization, dental materials, 433(N)
Standards, bone cement, 543
Strain recovery, 449
Stress relaxation, 449
Stress-strain curve, 19
Structural properties, polyethylene, 209
Subperiosteal, 843
N-Sulfate content, with relation to anticoagulent activity, 819
Surface analysis, 349, 465
Surface coverage, 115(E)
Surface studies of biopolymers, 465
Surgical alloy, 115(E)
Sustained drug delivery, 655
Sustained release drug delivery systems, 267
Sutures, effect of pH, 795
—, synthetic absorbable, 795
Synthetic tendons, 147
Systemic histopathology, 565

Tarnish, 191
Temperature, bone cement, 425
Tensile properties, 117
—, sutures, 795
Thrombogenesis, 231
Thrombosis resistant bypass grafts, 335
Thrombus formation, 1
Tied-chain segments of macromolecules, 19
Time-dependent deformation, 719
Tissue compatibility, 553
Tissue ingrowth, 853
Titanium implants, 37
—, interface mechanics, 73
Total hip replacement, 83
Toxicity, 565
—, of bioglass, 805
—, *biomaterials, 913*
Tricalciumphosphate, implants, 441(N)

UHMW polyethylene, 209
—, carbon fiber reinforced, 719
Ultrastructure, interface, 291
Ultrastructure morphology, 231
Unbuffered saline solution, 19

Vascular reconstruction, 335
Vinyl monomers, partition coefficients, 787
Vitallium implants, 843

Wear, of prosthetic joint materials, 619
—, restorative dental composites, 343

Zeta potential, 697

Journal of Biomedical Materials Research

Volume Contents – 1981

Issue 1, January 1981

Guest Editorial
L. Hench iii

The Editor Comments
N. Cranin ix

Effects of roughness on the thrombogenicity of a plastic
J. F. Hecker and R. O. Edwards 1

Gelatin-based sprayable foam as a skin substitute
P. M. Neumann, B. Zur, and Y. Ehrenreich 9

An *in-vitro* study of the effect of buffer on the degradation of poly(glycolic acid) sutures
C. C. Chu 19

The effects of drug and water incorporation upon some physical properties of cold cured acrylic
M. Thaw, M. Addy, and R. Handley 29

Fixation of porous titanium implants in cortical bone enhanced by electrical stimulation
S. M. Colella, A. G. Miller, R. G. Stang, T. G. Stoebe, and D. M. Spengler 37

Dynamic mechanical properties of amalgams
R. P. Kusy and A. R. Greenberg 47

Biocompatibility of echinoderm skeleton with mammalian cells *in vitro:* Preliminary evidence
A. R. Fontaine and B. D. Hall 61

Interface mechanics of porous titanium implants
A. J. T. Clemow, A. M. Weinstein, J. J. Klawitter, J. Koeneman, and J. Anderson 73

Finite element temperature analysis of a total hip replacement and measurement of PMMA curing temperatures
L. W. Swenson, Jr., D. J. Schurman, and R. L. Piziali 83

Academic Focus
Graduate study and research in Bioengineering at Clemson University
J. B. Park and F. W. Cooke 97

Piezoelectric ceramic implants: *in vivo* results
J. B. Park, B. J. Kelly, G. H. Kenner, A. F. von Recum, M. F. Grether and W. W. Coffeen 103

Note
Suitability of pigmented polyvinylide fluoride encapsulated wire for implantation in the dog
R. E. Brosnahan, G. H. Kenner, D. D. Moyle, and A. F. von Recum ... 111

Erratum
Factors affecting surgical alloy/bone cement interface adhesion
J. C. Keller, E. P. Lautenschlager, G. W. Marshall, Jr., and P. R. Meyer, Jr. ... 115

Issue 2, March 1981

Age-hardening and tensile properties of low gold (10–14 kt.) alloys
R. P. Kusy and K. F. Leinfelder ... 117
Corrosion fatigue of surgical stainless steel in synthetic physiological solution
J. R. Cahoon and R. N. Holte ... 137
Mechanical properties of model synthetic tendons
J. Kolařík, C. Migliaresi, M. Štol, and L. Nicolais ... 147
The quasistatic and fatigue performance of the implant/bone-cement interface
S. Raab, A. M. Ahmed, and J. W. Provan ... 159
Pressurized polymerization for reaction casting of poly(2-hydroxyethyl methacrylate)
L. Pinchuk and E. C. Eckstein ... 183
In vitro corrosion and tarnish characterization of typical dental gold compositions
T. K. Vaidyanathan and A. Prasad ... 191
Mechanical properties of poly(methyl methacrylate) bone cements
R. P. Robinson, T. M. Wright, and A. H. Burstein ... 203
Effect of radiation sterilization and aging on ultrahigh molecular weight polyethylene
R.-J. Roe, E. S. Grood, R. Shastri, C. A. Gosselin, and F. R. Noyes ... 209
Thrombogenesis: An epitaxial phenomena. I.
S. A. Barenberg, J. M. Anderson, and K. A. Mauritz ... 231
Biochemical, histological, and ultrastructural assessments of pseudoneointimal linings derived from fibroblast-seeded integrally textured polymeric surfaces
M. Szycher, V. Poirier, C. Franzblau, B. Faris, R. Snider, P. Toselli, C. C. Haudenschild, and W. F. Bernhard ... 247
Biocompatibility of polymeric delivery systems for macromolecules
R. Langer, H. Brem, and D. Tapper ... 267
Dense alumina aged *in vivo*
H. H. Osterholm, and D. E. Day ... 279
Announcements ... 289

Issue 3, May 1981

The ultrastructure of the interface between a glass ceramic and bone
U. Gross, J. Brandes, V. Strunz, I. Bab, and J. Sela 291
Physical characterization of microporous poly(2-hydroxyethyl methacrylate) gels
C. Migliaresi, L. Nicodemo, L. Nicolais, and P. Passerini 307
Biological and mechanical behavior of autologous pericardium used for triscupid valvular replacement in dogs
G. Dureau, G. Kepenekian, Y. Heynen, J. Paul, A. Tabib, G. Clendinnen, J. Belleville, and R. Eloy 319
A clinical experience with the NCGT graft
K. Reddy, S. N. Haque, L. Cohen, Z. Sophie, J. Feller, R. M. Stillman, J. Fitzgerald, B. Stanczewski, and P. N. Sawyer 335
A silver staining technique for investigating wear of restorative dental composites
W. Wu and E. N. Cobb 343
Surface spectroscopic studies of Avcothane
S. W. Graham and D. M. Hercules 349
Adsorption characteristics of plasma fibronectin in relationship to biological activity
F. Grinnell and M. K. Feld 363
Platelet adhesion onto sulfonated artificial red blood cells
N. Muramatsu and T. Kondo 383
Effect of hydrophilic and hydrophobic microdomains on mode of interaction between block polymer and blood platelets
T. Okano, S. Nishiyama, I. Shinohara, T. Akaike, Y. Sakurai, K. Kataoka, and T. Tsuruta 393
Adsorption of proteins from plasma to a series of hydrophilic-hydrophobic copolymers. I. Analysis with the *in situ* radioiodination technique
T. A. Horbett and P. K. Weathersby 403
Molecular and macroscopic properties of PMMA bone cement: Free-radical generation and temperature change versus mixing ratio
R. C. Turner, P. E. Atkins, M. A. Ackley, and J. B. Park 425

NOTES

Sensitivity of erythrocytes from various species to *in vitro* hemolyzation
A. Wennberg and A. Hensten-Pettersen 433
The initial stage of calcification in porous hydrophilic polymers
L. Šprincl and M. Novák 437
In vivo surface activity of a hydroxyapatite alveolar bone substitute
P. Ducheyne and K. de Groot 441
Announcements 447

Issue 4, July 1981

Permanent set and stress relaxation in elastomeric impression materials
W. D. Cook 449
Surface spectroscopic studies of Biomer
S. W. Graham and D. M. Hercules 465
Fretting corrosion in saline and serum
S. A. Brown and K. Merritt 479
Effects of temperature on mechanical properties of composite dental restorative materials
R. A. Draughn 489
Poly(methyl acrylate-co-hydroxyethyl acrylate) hydrogel implant material of strength and softness
M. F. Refojo and F. -L. Leong 497
Dynamic mechanical properties of medical grade silicone elastomer stored in simulated body fluids
T. C. Ward and J. T. Perry 511
A comparison of the mechanical behavior of aluminas in air and simulated body environments
B. J. Dalgleish and R. D. Rawlings 527
Evaluation of acrylic bone cements and their performance standards
R. O. Edwards and F. G. V. Thomasz 543
The *in vitro* and *in vivo* behavior of urokinase immobilized onto collagen–synthetic polymer composite material
S. Watanabe, Y. Shimizu, T. Teramatsu, and T. Murachi 553
A critical evaluation of the acute systemic toxicity test for dental alloys using histopathologic criteria
C. R. Culliton, M. A. Meenaghan, S. E. Sorensen, G. W. Greene, and J. D. Eick 565
Biodegradation of a poly(α-amino acid) hydrogel. I. *In vivo*
H. R. Dickinson, A. Hiltner, D. F. Gibbons, and J. M. Anderson 577
Biodegradation of a poly(α-amino acid) hydrogel. II. *In vitro*
H. R. Dickinson and A. Hiltner 591

NOTES

SEM analysis of copper-containing intrauterine implants
J. Rosenfeld, W. S. Williams, and N. K. Sharma 605
Effects of carbon coupling on the *in vitro* corrosion of cast surgical cobalt-base alloy
R. A. Buchanan, J. E. Lemons, C. D. Griffin, N. G. Thompson, and L. C. Lucas 611
Nickel solubility from nickel–chromium dental casting alloys
S. Newman, R. T. Chamberlain, and L. J. Nunez 615

Issue 5, September 1981

Friction and wear properties of polymer, metal, and ceramic prosthetic joint materials evaluated on a multichannel screening device
H. McKellop, I. Clarke, K. Markolf, and H. Amstutz 619
An insulin delivery system from oxidized cellulose
M. Singh, P. Vasudevan, T. J. M. Sinha, A. R. Ray, M. M. Misro, and S. K. Guha 655
Development of a silica-free silicone system for medical applications
B. Ashar, R. S. Ward, Jr., and L. R. Turcotte 663
Adsorption of proteins from plasma to a series of hydrophilic-hydrophobic copolymers. II. Compositional analysis with the prelabeled protein technique
T. A. Horbett 673
Blood compatibility of hydrophilic polymers
Y. Ikada, H. Iwata, F. Horii, T. Matsunaga, M. Taniguchi, M. Suzuki, W. Taki, S. Yamagata, Y. Yonekawa, and H. Handa 697
The effect of carbon fiber reinforcement on contact area, contact pressure, and time-dependent deformation in polyethylene tibial components
T. M. Wright, T. Fukubayashi, and A. H. Burstein 719
Investigations on the galvanic corrosion of multialloy total hip prostheses
L. C. Lucas, R. A. Buchanan, and J. E. Lemons 731
An evaluation of ion-textured aluminum oxide dental implants
A. M. Weinstein, S. D. Cook, J. J. Klawitter, L. A. Weinberg, and M. Zide 749
The effect of the environment on the crack initiation toughness of dental poly(methyl methacrylate)
A. S. Hargreaves 757
The tensile creep characteristics of dental amalgam. I. Stress dependence
D. W. Cruickshanks-Boyd and N. Roswati 769
NOTE
Electrophoretic analysis of proteins adsorbed on polymer surfaces
T. C. Chiu, L. C. Metcalf, and D. J. Lyman 781
Announcement 785

Issue 6, November 1981

Determination of partition coefficients of acrylates, methacrylates, and vinyl monomers using high performance liquid chromatography (HPLC)
S. Fujisawa and E. Masuhara 787

The *in-vitro* degradation of poly(glycolic acid) sutures—effect of pH
C. C. Chu 795
Toxicology and biocompatibility of bioglasses
J. Wilson, G. H. Pigott, F. J. Schoen, and L. L. Hench 805
Anticoagulant activity of a synthetic heparinoid in relation to molecular weight and *N*-sulfate content
L. C. Sederel, L. van der Does, J. F. van Duijl, T. Beugeling, and A. Bantjes 819
Effect of age on the creep of a high-copper amalgam
D. B. Mahler and L. W. Nelson 829
Work hardening and forming behavior of cast dental alloys
G. Baran and E. C. Woodland 835
Organic surface film contamination of Vitallium implants
J. M. Carter, H. E. Flynn, M. A. Meenaghan, J. R. Natiella, C. K. Akers, and R. E. Baier 843
A study of bone remodeling using metal-polymer laminates
J. A. Szivek, G. C. Weatherly, R. M. Pilliar, and H. U. Cameron 853
Crevice and fretting corrosion of stainless-steel plates and screws
S. A. Brown and J. P. Simpson 867
The influence of implant elastic modulus on the stress distribution around LTI carbon and aluminum oxide dental implants
S. D. Cook, J. J. Klawitter, and A. M. Weinstein 879
The role of the fibrous capsule in the function of implanted drug-polymer sustained release systems
J. M. Anderson, H. Niven, J. Pelagalli, L. S. Olanoff, and R. D. Jones 889
SEM ultrastructure studies of *N*-acyl- and *N*-benzylidene-chitosan and chitosan membranes
S. Hirano, K. Tobetto, and Y. Noishiki 903
A quantitative microassay for *in-vitro* toxicity testing of biomaterials
J. B. Ulreich and M. Chvapil 913
Surface roughness and edge geometries in hemolysis with rotating disk flow
J. M. Monroe, D. E. True, and M. C. Williams 923
Book Review
Tribology of Natural and Artifical Joints, by J. H. Dumbleton
J. Black 941
Announcements 943
Author Index 945
Subject Index 949
Information for Contributors 953
Volume Contents iii